Index to Volume 42

Authors and Titles

Adams, M.A., Iser, J., Keleher, A.D., and Cheal, D.C.
Nitrogen and phosphorus availability and the role of fire in heathlands at Wilsons Promontory 269

Akilan, K., Considine, J.A., Joyce, D.C., and Marshall, J.K.
Morphological responses of geraldton wax to transient soil-water deficit 205

Aitken, E.A.B. *See* Hayden, H.L.

Ashton, D.H. *See* Weste, G.

Aspinall, D. *See* Day, J.S.

Attiwill, P. *See* Chambers, D.

Atwell, B.J., and Heritage, A.D.
Reduced susceptibility of roots of safflower to *Phytophthora cryptogea* after prior adaptation of roots to hypoxic conditions 29

Auld, B.A., Talbot, H.E., and Radburn, K.B.
Resistance of *Xanthium occidentale* to *Colletotrichum orbiculare*, a pathogen of *X. spinosum* 19

Balatero, C.H., and Darvey, N.L.
Embryo rescue culture medium for improved synthesis of 4x wheat x rye hybrids 493

Ball, M.C. *See* Holly, C.

Barker, P.C.J., and Kirkpatrick, J.B.
Phyllocladus asplenifolius: variability in the population structure, the regeneration niche and dispersion patterns in Tasmanian forests 163

Barrett, D.R., and Fox, J.E.D.
Early growth of *Santalum album* in relation to shade 83

Bell, D.T.
Interaction of fire, temperature and light in the germination response of 16 species from the *Eucalyptus marginata* forest of south-western Australia 501

Bell, R.W. *See* Yates, C.J.

Bennett, L.T.
The expansion of *Leptospermum laevigatum* on the Yanakie Isthmus, Wilson's Promontory, under changes in the burning and grazing regimes 555

Bi, H., and Turvey, N.D.
Inter-specific competition between seedlings of *Pinus radiata*, *Eucalyptus regnans* and *Acacia melanoxylon* 61

Bovo, O.A. *See* Norrmann, G.A.

Braithwaite, K.S., Manners, J.M., Irwin, J.A.G., and Maclean, D.J.
DNA markers reveal hybrids between two diverse background genotypes in Australian collections of the bean rust fungus *Uromyces appendiculatus* 255

Brown, J.F. *See* Prakash, N.

Bruhl, J.J.
Amphicarpy in the Cyperaceae, with novel variation in the wetland sedge *Eleocharis caespitosissima* Baker 441

Carapetian, J.
Effects of safflower sterility genes on the inflorescence and pollen grains 325

Carimi, F. *See* De Pasquale, F.

Chaboudez, P.
Patterns of clonal variation in skeleton weed (*Chondrilla juncea*), an apomictic species 283

Chambers, D.P., and Attiwill, P.M.
The ash-bed effect in *Eucalyptus regnans* forest: chemical, physical and microbiological changes in soil after heating or partial sterilisation 739

Cheal, D.C. *See* Adams, M.A.

Chilvers, G.A. *See* McInnes, A.

Clarke, P.J.
Baseline studies of temperate mangrove growth and reproduction; demographic and litterfall measures of leafing and flowering 37

Coates, D.J. *See* Sampson, J.F.

Cole, S.P., Woo, K.C., Eamus, D., Harwood, C.E., and Haines, M.W.
Field measurements of net photosynthesis and related parameters in four provenances of *Acacia auriculiformis* 457

Collins, B.G. *See* Sampson, J.F.

Considine, J.A. *See* Akilan, K.

Considine, J.A. *See also* Sukhvibul, N.
Crescimanno, F.G. *See* De Pasquale, F.

Darvey, N.L. *See* Balatero, C.H.
Day, J.S., Loveys, B.R., and Aspinall, D.
Environmental control of flowering of *Boronia megastigma* (Rutaceae) and *Hypocalymma angustifolium* (Myrtaceae) 219
de Lemos Filho, J.P. *See* Lovato, M.B.
De Pasquale, F., Carimi, F., and Crescimanno, F.G.
Somatic embryogenesis from styles of different cultivars of *Citrus limon* (L.) Burm. 587
Dodd, W.A. *See* Rasai, S.
Dunse, K. *See* Plummer, K.M.

Eamus, D. *See* Cole, S.P.

Fox, J.E.D. *See* Barrett, D.R.
Franz, P.R. *See* Slater, A.T.
Friedel, M.H. *See* Rice, B.L.

Ghisalberti, E.L. *See* Richmond, G.S.
Gilfedder, L., and Kirkpatrick, J.B.
Culturally induced rarity? The past and present distributions of *Leucochrysum albicans* in Tasmania 405
Climate, grazing and disturbance, and the population dynamics of *Leucochrysum albicans* at Ross, Tasmania 417
Genecological variation in the germination, growth and morphology of four populations of a Tasmanian endangered perennial daisy, *Leucochrysum albicans* 431
Gill, A.M. *See* Mercer, G.N.
Gill, A.M. *See also* Williams, J.E.
Goldsack, G. *See* Johnson, K.A.
Griffin, G.F. *See* Rice, B.L.
Groom, P.K., Lamont, B.B., Kupsky, L.
Contrasting morphology and ecophysiology of co-occurring broad and terete leaves in *Hakea trifurcata* (Proteaceae) 307
Corrigendum 605
Groves, R.H. *See* Lodder, M.S.

Haines, M.W. *See* Cole, S.P.
Harwood, C.E. *See* Cole, S.P.
Hayden, H.L., Pegg, K.G., Aitken, E.A.B., and Irwin, J.A.G.
Genetic relationships as assessed by molecular markers and cross-infection among strains of *Colletotrichum gloeosporioides* 9
Heritage, A.D. *See* Atwell, B.J.
Hickey, J.E.
A floristic comparison of vascular species in Tasmanian oldgrowth mixed forest with regeneration resulting from logging and wildfire 383
Hill, T.C.J., Tippett, J.T., and Shearer, B.L.
Invasion of Bassendean dune *Banksia* woodland by *Phytophthora cinnamomi* 725
Hobbs, R.J. *See* Yates, C.J.
Holly, C., Laughlin, G.P., and Ball, M.C.
Cold-induced photoinhibition and design of shelters for establishment of eucalypts in pasture 139
Howlett, B.J. *See* Plummer, K.M.

Irwin, J.A.G. *See* Braithwaite, K.S.
Irwin, J.A.G. *See also* Hayden, H.L.
Iser, J. *See* Adams, M.A.

Jane, G.T.
The impact of browsing animals on the stand dynamics of monotypic mountain beech (*Nothofagus solandri*) forests in Canterbury, New Zealand 113
Johnson, K.A., Morrison, D.A., and Goldsack, G.
Post-fire flowering patterns in *Blandfordia nobilis* (Liliaceae) 49
Jordan, G.J. *See* Potts, B.M.
Joyce, D.C. *See* Akilan, K.
Jusaitis, M. *See* Loveys, B.R.

Kantharajah, A.S. *See* Rasai, S.
Keleher, A.D. *See* Adams, M.A.
Kirkpatrick, J.B. *See* Barker, P.C.J.
Kirkpatrick, J.B. *See also* Gilfedder, L.
Kupsky, L. *See* Groom, P.K.

Lamont, B.B. *See* Groom, P.K.
Laughlin, G.P. *See* Holly, C.
Lodder, M.S., Groves, R.H., and Müller, W.J.
Early seedling growth of three species of *Danthonia* as affected by depth of sowing and nutrient supply 543
Lovato, M.B., Martins, P.S., and de Lemos Filho, J.P.
Germination in *Stylosanthes humilis* populations in the presence of NaCl 717
Loveys, B.R., and Jusaitis, M.
Stimulation of germination of quandong (*Santalum acuminatum*) and other Australian native plant seeds 565

Loveys, B.R. *See also* Day, J.S.

Maclean, D.J. *See* Braithwaite, K.S.
Manners, J.M. *See* Braithwaite, K.S.
Mapfumo, E.
Measuring the diameter of xylem: a short communication 321
Mark, A.F.
Effects of burning and grazing on sustainable utilisation of upland snow tussock (*Chionochloa* spp.) rangelands for pastoralism in South Island, New Zealand 149
Marshall, J.K. *See* Akilan, K.
Martin, H.A.
A note on fossil *Monotoca* pollen 369
Martin, H.A., and McMinn, A.
Late Cainozoic vegetation history of north-western Australia, from the palynology of a deep sea core (ODP Site 765) 95
Martins, P.S. *See* Lovato, M.B.
McInnes, A., and Chilvers, G.A.
Influence of environmental factors on ectomycorrhizal infection in axenically cultured Eucalypt seedlings 595
McIntyre, S. *See* Trémont, R.M.
McMinn, A. *See* Martin, H.A.
Mercer, G.N., Gill, A.M., and Weber, R.O.
A time-dependent model of fire impact on seed survival in woody fruits 71
Molvig, L., and Rose, R.J.
A regeneration protocol for *Spinacia oleracea* using gibberellic acid 763
Morrison, D. *See* Rogers, R.W.
Morrison, D.A. *See* Johnson, K.A.
Müller, W.J. *See* Lodder, M.S.

Norrmann, G.A., Bovo, O.A., and Quarín, C.L.
Post-zygotic seed abortion in sexual diploid x apomictic tetraploid intraspecific *Paspalum* crosses 449

O'Brien, S.P.
Andromonoecy and fruit set in *Leptospermum myrsinoides* and *L. continentale* (Myrtaceae) 751
Odgers, B.M.
Seed banks and vegetation of three contrasting sites in an urban eucalypt forest reserve 371
Papst, W.A. *See* Wahren, C-H.A.
Pegg, K.G. *See* Hayden, H.L.

Plummer, K.M., Dunse, K., and Howlett, B.J.
Non-aggressive strains of the blackleg fungus, *Leptosphaeria maculans*, are present in Australia and can be distinguished from aggressive strains by molecular analysis 1
Pole, M.
An Eocene macroflora from the Taratu formation at Livingstone, North Otago, New Zealand 341
Potts, B.M., and Jordan, G.J.
The spatial pattern and scale of variation in *Eucalyptus globulus* ssp. *globulus*: variation in seedling abnormalities and early growth 471
Prakash, N., Brown, J.F., and Yue-Hua, W.
An embryological study of kava, *Piper methysticum* 231

Quarín, C.L. *See* Norrmann, G.A.

Radburn, K.B. *See* Auld, B.A.
Rasai, S., Kantharajah, A.S., and Dodd, W.A.
The effect of growth regulators, source of explants and irradiance on *in vitro* regeneration of atemoya 333
Rice, B.L., Westoby, M., Griffin, G.F., and Friedel, M.H.
Effects of supplementary soil nutrients on hummock grasses 687
Richmond, G.S., and Ghisalberti, E.L.
Seed dormancy and germination mechanisms in *Eremophila* (Myoporaceae) 705
Rogers, R.W.
Zonation of the liverwort *Riccia* in a temporary watercourse in subtropical, semi-arid Australia 659
Rogers, R.W., and Morrison, D.
Floristic change on Heron Island, a coral cay in the Capricorn–Bunker Group, Great Barrier Reef 297
Rose, R.J. *See* Molvig, L.

Sampson, J.F., Collins, B.G., and Coates, D.J.
Mixed mating in *Banksia brownii* Baxter ex R.Br. (Proteaceae) 103
Shapcott, A.
Genetic and ecological variation in *Atherosperma moschatum* and the implications for conservation of its biodiversity 663
Shearer, B.L. *See* Hill, T.C.J.

Slater, A.T., Franz, P.R., and Thompson, W.K.
The effect of photoperiod, temperature and photon flux density on flowering in *Pimelea ciliata* 575
Sukhvibul, N., and Considine, J.A.
Regulation of germination of seed of *Anigozanthos manglesii* 191

Talbot, H.E. *See* Auld, B.A.
Thompson, W.K. *See* Slater, A.T.
Tippett, J.T. *See* Hill, T.C.J.
Trémont, R.M.
Life-history attributes of plants in grazed and ungrazed grasslands on the Northern Tablelands of New South Wales 511
Trémont, R.M., and McIntyre, S.
Natural grassy vegetation and native forbs in temperate Australia: structure, dynamics and life histories 641
Turvey, N.D. *See* Bi, H.

Wahren, C-H.A., Papst, W.A., and Williams, R.J.
Long-term vegetation change in relation to cattle grazing in subalpine grassland and heathland on the Bogong High Plains: an analysis of vegetation records from 1945 to 1994 607
Weber, R.O. *See* Mercer, G.N.
Weste, G., and Ashton, D.H.
Regeneration and survival of indigenous dry sclerophyll species in the Brisbane Ranges, Victoria, after a *Phytophthora cinnamomi* epidemic 239
Westoby, M. *See* Rice, B.L.
Whelan, R.J. *See* Williams, J.E.
Williams, J.E., Whelan, R.J., and Gill, A.M.
Fire and environmental heterogeneity in southern temperate forest ecosystems: implications for management 125
Williams, R.J. *See* Wahren, C-H.A.
Woo, K.C. *See* Cole, S.P.

Yates, C.J., Hobbs, R.J., and Bell, R.W.
Factors limiting the recruitment of *Eucalyptus salmonophloia* in remnant woodlands. I. Pattern of flowering, seed production and seed fall 531
Yue-Hua, W. *See* Prakash, N.